



## FEATURED SUPPLIERS



### EASY OPERATION

Insert U-lock into the base and push downward to set and secure



**28.<sup>61</sup>**

### Universal Trailer Coupler Lock

23090

- Prevents trailer ball from being inserted into the coupler
- Built with hardened steel and chrome-plated U-lock



### 4-Way Flat Connector Plug & Socket with 72" Wires

58050

**9.<sup>51</sup>**

### Biodegradable Hand Cleaner

PART#	SIZE	
11-1104	1lb (454g)	<b>21.<sup>52</sup></b>
11-2300	Stand-up Pouch 3lb (1362g)	<b>49.<sup>20</sup></b>
11-1650-12	6.5oz (184g)	<b>10.<sup>16</sup></b>



### Power Clean Waterless Hand Soap

PART#	SIZE	
36-0432	32oz (945ml)	<b>32.<sup>95</sup></b>
36-0401	1 gallon (3.78L)	<b>97.<sup>63</sup></b>



**Leather Wipes**  
10856, 20 wipes

**7.98**



**GREAT VALUE**

**Wipe Multipack**  
10881  
115 wipes

**24.73**



**Car Carpet, Salt Stain & Upholstery Cleaner Spray**  
17261D  
510ml

**8.26**



**Premium Leather Care**  
18981  
473ml

**8.32**



**Snow Foam Car Wash**  
19159  
1.48L

**12.30**



**0.95** /EA

Sold in packs of 24



PART#	SCENT
U1P-10189	NEW CAR SCENT
U1P-10155	BLACK ICE
U1P-10105	VANILLAROMA
U1P-10290	LEATHER
U1P-10101	ROYAL PINE

PART#	SCENT
U1P-17146	TRUE NORTH
U1P-10317	COCONUT
U1P-10312	STRAWBERRY
U1P-17068	FRESH SHAVE
U1P-17308	ROSE THORN



**VLR Vinyl•Leather•Rubber Care**  
36524  
709 ml

**10.30**



**NuLens Headlight Renewal Kit**  
37251

**30.91**

Includes:  
PowerBall 4Lights Polishing Tool.  
8 oz. PowerPlastic 4Lights Liquid Polish.  
3-inch Backing Plate  
Restoration Discs  
Instruction Sheet

**MOTHERS**  
Polishes•Waxes•Cleaners



**Mag & Aluminum Polish**  
35100  
5oz

**7.61**



**California Gold Scratch Remover**  
38408  
236 ml

**8.71**





### Fuel, Exhaust & Emissions System Cleaner

34720 - 500ml

**29.<sup>51</sup>**



### Rislone DPF Clean Diesel DPF, Exhaust & Emissions System Cleaner

34744 - 500ml

**18.<sup>49</sup>**



### Rislone High Mileage Oil Supplement / Stabilizer

34200 - 500ml

**9.<sup>76</sup>**



### Rear Main Seal Repair

34240 - 500ml

**10.<sup>55</sup>**



### Blown Head Gasket Repair

31136 - 1L

**57.<sup>62</sup>**



### T-Handle Tire Repair Kit

24011

- 1 x T-handle reamer tool
- 1 x T-handle plugger tool
- 1 x 12mL rubber cement
- 5 x heavy-duty black tire strings, 7-ply

**6.<sup>00</sup>**



### 2-in-1 Tire & Tube Sealant

10194-2 - 32oz

Does your tire have a tube inside, or is it tubeless? Who cares?! Slime's new 2-in-1 Tire & Tube Premium Sealant works to prevent and repair flats in all off-highway tires and tubes. It just works!

**15.<sup>71</sup>**



### GREZ-OFF® Parts Cleaner

C12532 - 946mL Bottle

Powerful water-based parts cleaner. Use undiluted for spray-and-wipe cleaning or use in Parts Washer systems and Immersion Tanks.

**8.<sup>51</sup>**



### GREZ-OFF® Engine Degreaser

C12550 - 425g Aerosol

**5.<sup>81</sup>**



### SPRAY NINE® Garage Floor Cleaner

C11525 - 11.3kg Pail

Powerful concrete cleaner formulated to cut through stains and heavy deposits, lifting away grease, grime and dirt. Ideal for garages, work shops, driveways and walkways.

**99.<sup>01</sup>**





**Venus Curved Magnetic Broom  
With 48" Metal Handle**

BM-4200

**7.<sup>56</sup>**



**MOSS Heavy Duty,  
Oil Resistant Floor Squeegee**  
with Natural Rubber – 30"/75cm

FS-MH30

**23.<sup>85</sup>**

Use FH-W360-1T handle

**6.<sup>69</sup>**



**16" Hercules Industrial Angle Broom**

BA-3000

**14.<sup>10</sup>**



**Ryno Push Broom**

PB-700-GB24 - 24"/60cm

Medium Sweep

Brace and handle - Assembled

**37.<sup>43</sup>**



**60" x 1-1/8" Tapered  
Wood Handle**

FH-W360-118T

You can use this Tapered Wooden Handle with Wood Deck Brush with Squeegee, a 7" Masonry Brush with Union Fibre or any other cleaning tool with a tapered connecting hole.

**6.<sup>65</sup>**



**Power Steering Fluid**

586 - 1L

**9.<sup>33</sup>**



**Engine Klean**

824 - 454g

**7.<sup>09</sup>**

**kleen  
-flo**



**Engine Flush**

637 - 350ml

**4.<sup>11</sup>**



**Injector Klean**

695 - 395ml

**5.<sup>96</sup>**

# NLS PRODUCTS

**ORIGINAL**



**"Wool Wax Formula"**

**Powerful  
Rust & Corrosion Protection  
Excellent Vehicle Undercoating  
Superior Lubricant**

- **Environmentally Friendlier**
- **Solvent Free • Non-Toxic**



**BLACK**



**The Most Universal Product You Will Ever Use!!**

- Not Water Soluble • Apply Over Dry Or Damp Surfaces
- Repels & Resists Water Washout

- Will Not Dry Out Or Evaporate Off
- Non-Conductor • Will Not Cause Static Electricity

ORIGINAL Stock #	Size	Cost	BLACK Stock #	Size	Cost
3300	333 g	\$14.40	6300	333 g	\$15.53
3700	3.78 L	\$76.19	6400	3.78 L	\$79.96
4300	18.9 L Pail	\$313.27	6500	18.9 L Pail	\$326.33



**Premium  
Heavy Duty  
Tire Sealant**



**Extends The Life Of Your Tire! • Runs Tires Approx. 35% Cooler!**  
**• Permanently Seals Punctures up to 19 mm (3/4")**  
**• Seals Most Bead & Rim Leaks • Indefinite Shelf Life**  
**Maintains Consistent Tire Pressure**  
**Helps Eliminate Flats! • Lasts the Life of the Tire!**

NLS Products Stock #	Size	Cost
95544	946 mL	\$23.51
95555	3.78 L w/pump	\$75.25
95566	18.9 L Pail	\$310.45
95577	18.9 L Pail w/pump	\$418.95



**AUTOMOTIVE & LIGHT TRUCK  
COOLANT  
TEST STRIPS FOR EXTENDED LIFE  
& CONVENTIONAL COOLANT.  
TESTS GAS VEHICLES ONLY!  
TESTS: Reserve Alkalinity, pH levels  
& Glycol (Freeze Point / Boiling Point)  
TESTS: IAT, NOAT, HOAT, OAT  
ALSO Tests ALL Electrical Vehicles**

NLS Products Stock #	Size	Cost
1570	70 Strips	\$35.28

**Tests for Coolant presence in Engine Oil (Gas & Diesel)  
& Automatic Transmission Fluid (ATF)**

**Detects 0 - 6 % coolant contamination in  
Engine Oil (Gas & Diesel) & ATF. This is a  
growing problem in Auto & Heavy Duty Vehicles.**



NLS Products Stock #	Size	Cost
80900	50 Strips	\$62.08

**HYDROCARBON TEST STRIPS**  
**Use to detect the presence of Oil in  
Diesel Exhaust Fluid (DEF), ALL Coolants,  
Tap & Ground Water & Much More  
including Contaminated Soil**



**ULTIMATE ELC/CC HEAVY DUTY COOLANT  
TEST STRIPS Conventional Coolant (CC)**  
**• Extended Life Coolant (ELC)**  
**Tests 99% of all 4 HD Coolants: IAT, NOAT,  
HOAT, OAT Testing: Freeze Point (Glycol),  
OAT's (SCA), Nitrite, pH.**

NLS Products Stock #	Qty	Order Qty
80508	50 / btl	1 (12)

**\$61.14**

NLS Products Stock #	Size
52404	4 Strips

**\$18.80**





**SLIMmini™**  
**Rechargeable LI-ON**  
**Worklight**  
 114304  
 500/250 lumens COB  
 100 lumens top flashlight  
 Type C connector cable  
 Super slim 14mm

**53.<sup>77</sup>**



**HEMImini™**  
 114301  
 1000 lumens at 4 hours runtime  
 500 lumens at 8 hours runtime

**88.<sup>18</sup>**



**HEMImini™**  
**Magnetic Cover**  
 410239

**13.<sup>58</sup>**



**Incandescent**  
 101307  
 23 ft | 7 m SJOW 16/3 cable  
 • Grounded outlet handle  
 • 13 amp circuit breaker

**46.<sup>61</sup>**



**PAO 68 Oil + Dye**

51111 – 34 oz | 1 L + UV Dye

- Universal, high-quality, multi-grade synthetic oil
- Improves efficiency with quicker pull down times & lower vent temperatures
- Eliminates carrying different grades or viscosities of A/C lubricants
- Fill-up or top-up

**46.<sup>33</sup>**

**CLIPLIGHT**  
 BETTER BY DESIGN.

**Dupli-Color®**

**General Purpose**  
**Enamel**

**11.<sup>64</sup>** /EA



PART#	COLOUR
CDA1600	Gloss Black
CDA1603	Semi-Gloss Black
CDA1605	Flat Black
CDA1692	Crystal Clear
CDA1670	Gloss White
CDAL1695	Clear Lacquer

PART#	COLOUR
CDAL1677	Gloss Black
CDA1693	Matte Clearcoat
CDA1612	Machinery Gray
CDA1684	Chrome Aluminum
CDA1640	Cherry Red (Equipment Red)



**QUARTZ INEO Xtra Long Life**  
**0W-20**

226005 - 1L

226006 - 5L

**11.<sup>99</sup>**  
**57.<sup>17</sup>**



**QUARTZ INEO Long Life**  
**5W-30**

219166 - 1L

219167 - 5L

**10.<sup>20</sup>**  
**48.<sup>20</sup>**



**QUARTZ**  
 LUBRIFIANTS



### Rust Release Penetrant Spray w/Smart Straw

02278

- Fast acting
- Helps prevent rust and corrosion from re-forming and leaves behind a lubricating layer
- Penetrates deep into tight crevices, threads and seams to break the bonds that hold stuck parts together

**10.<sup>42</sup>**



### Water Resistant Silicone Lubricant w/Smart Straw

02279

- Lubricates, waterproofs and protects
- Quick-drying with no messy residue
- Effective temperature range from -73° C to 260° C.

**10.<sup>42</sup>**



### Machine and Engine Degreaser Foaming Spray

01206

- Deep penetrating foaming action
- Quickly removes dirt, grease, and grime to make machine and equipments last longer and look new
- Powerful stream sprays up to 5 feet

**7.<sup>46</sup>**



### Industrial Strength Cleaner And Degreaser

02266

Water-based, non-flammable, non-aerosol cleaner & degreaser with a unique bio-solvent formula engineered to be powerful yet safe for sensitive surfaces.

- Safe for use on aluminum, chrome, glass, plastic, rubber, stainless steel, granite, leather, paint, and much more.

**8.<sup>03</sup>**



### 20 Litre RV Diesel Container

03711

**22.<sup>38</sup>**



### 20 Litre RV Gasoline Container

03609

**22.<sup>46</sup>**



### Jerry Can Flexible Spout


03629

**4.<sup>84</sup>**



### Chevron Mud Flaps

PART#	SIZE (INCHES)	
671-4588	24X24	<b>10.<sup>60</sup></b>
671-4583	24X30	<b>12.<sup>11</sup></b>
671-4585	24X36	<b>13.<sup>63</sup></b>
671-4580	24X18	<b>11.<sup>36</sup></b>



### 8 Mil. Nitrile Gloves

792458D

S-2XL

WORKTUFF

- 50 gloves
- Powder free
- Raised diamond textured

**8.<sup>33</sup>**



Triple C Rubber and Plastics



**2" Straight-Tongue Coupler  
with Posi-Lock  
(3,500 lbs, Zinc)**

25153 2" Channel

25135 2.5" Channel

**20.<sup>10</sup>**



**Pipe-Mount Swivel Jack  
with Top Handle  
(5,000 lbs, 15" Travel)**

28356

**72.<sup>03</sup>**



**Heavy-Duty 7-Way RV Blade  
Connector Plug (Trailer Side)**

58145

**10.<sup>84</sup>**



**Receiver-Mount Pintle Hook  
(2" Shank, 20,000 lbs.,  
2-1/2" Lunette Rings)**

48004

**113.<sup>76</sup>**



**Multi-Ball Mount  
(2" Hollow Shank, 1-7/8", 2" &  
2-5/16" Chrome Balls)**

45001

**73.<sup>48</sup>**



**OEM Replacement Dual-Out-  
put 7 & 4-Way Connector  
(Plugs into Any US CAR)**

57020

**37.<sup>46</sup>**



**26 Old Placentia Rd  
Mount Pearl, NL · A1N 4P5  
709-747-1331**